

ICD-9

ICD-10

ICD-9 DESCRIPTION

ICD-10 DESCRIPTION

ACUTE KIDNEY FAILURE

With lesion of tubular necrosis 584.5
 With lesion of renal cortical necrosis 584.6
 With lesion of renal medullary [papillary] necrosis 584.7
 With other specified pathological lesion in kidney 584.8
 Unspecified 584.9

ACQUIRED HEMOLYTIC ANEMIAS

Non-autoimmune hemolytic anemias unspecified 283.10
 Hemolytic-uremic syndrome 283.11
 Other nonautoimmune hemolytic anemias 283.19

ATHEROCLEROSIS

Of renal artery 440.1

BACTERIAL INFECTION IN CONDITIONS CLASSIFIED ELSEWHERE AND OF UNSPECIFIED SITE

Streptococcus unspecified 041.00
 Group A 041.01
 Group B 041.02
 Group C 041.03
 Group D [Enterococcus] 041.04
 Group G 041.05
 Other streptococcus 041.09
 Staphylococcus unspecified 041.10
 Methicillin susceptible staphylococcus aureus 041.11
 Methicillin resistant staphylococcus aureus 041.12
 Other staphylococcus 041.19
 Pneumococcus 041.2
 Friedlander's bacillus infection 041.3
 Other and unspecified Escherichia coli [E. coli] 041.49
 Hemophilus influenzae [H. influenzae] 041.5
 Proteus (mirabilis) (morganii) 041.6
 Pseudomonas 041.7

CHRONIC GLOMERULONEPHRITIS

Chronic glomerulonephritis with lesion of proliferative glomerulonephritis 582.0
 Chronic glomerulonephritis with lesion of membranous glomerulonephritis 582.1

ACUTE KIDNEY FAILURE

With tubular necrosis N17.0
 With acute cortical necrosis N17.1
 With medullary necrosis N17.2
 Other acute kidney failure N17.8
 Unspecified N17.9

ACQUIRED HEMOLYTIC ANEMIAS

Other nonautoimmune hemolytic anemias D59.4
 Hemolytic-uremic syndrome D59.3
 Drug-induced nonautoimmune hemolytic anemia D59.2
 Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)
 Other nonautoimmune hemolytic anemias D59.4

ATHEROCLEROSIS

Of renal artery I70.1

BACTERIAL INFECTION IN CONDITIONS CLASSIFIED ELSEWHERE AND OF UNSPECIFIED SITE

Unspecified streptococcus * B95.5
 Streptococcal infection, unspecified site A49.1
 Streptococcus Group A * B95.0
 Streptococcus Group B * B95.1
 Other streptococcus * B95.4
 Enterococcus * B95.2
 Other streptococcus * B95.4
 Streptococcus pneumoniae * B95.3
 Other streptococcus * B95.4
 Unspecified staphylococcus * B95.8
 Methicillin susceptible Staphylococcus aureus A49.01
 Methicillin susceptible Staphylococcus aureus * B95.61
 Methicillin resistant Staphylococcus aureus A49.02
 Methicillin resistant Staphylococcus aureus * B95.62
 Other staphylococcus * B95.7
 Streptococcus pneumoniae * B95.3
 Klebsiella pneumoniae [K. pneumoniae] * B96.1
 Unspecified Escherichia coli [E. coli] * B96.20
 Other Escherichia coli [E. coli] * B96.29
 Hemophilus influenzae infection, unspecified site A49.2
 Hemophilus influenzae [H. influenzae] * B96.3
 Proteus (mirabilis) (morganii) * B96.4
 Pseudomonas (aeruginosa) (mallei) (pseudomallei) * B96.5

CHRONIC NEPHRITIC SYNDROME

Chronic nephritic syndrome with diffuse membranous glomerulonephritis N03.2
 Chronic nephritic syndrome with focal and segmental glomerular lesions N03.1

ICD-9

ICD-10

ICD-9 DESCRIPTION

ICD-10 DESCRIPTION

Chronic glomerulonephritis with lesion of rapidly progressive glomerulonephritis 582.4
 Chronic glomerulonephritis in diseases classified elsewhere 582.81
 Chronic glomerulonephritis with other specified pathological lesion in kidney 582.89

CHRONIC KIDNEY DISEASE (CKD)

Chronic kidney disease Stage I 585.1
 Chronic kidney disease Stage II (mild) 585.2
 Chronic kidney disease Stage III (moderate) 585.3
 Chronic kidney disease Stage IV (severe) 585.4
 Chronic kidney disease Stage V 585.5
 End stage renal disease 585.6
 Chronic kidney disease unspecified 585.9
 Renal failure unspecified 586

COMPLICATIONS OF TRANSPLANTED ORGAN

Complications of transplanted kidney 996.81

CYSTIC KIDNEY DISEASE

Cystic kidney disease unspecified 753.10
 Congenital single renal cyst 753.11
 Polycystic kidney unspecified type 753.12
 Polycystic kidney autosomal dominant 753.13
 Polycystic kidney autosomal recessive 753.14
 Renal dysplasia 753.15
 Medullary cystic kidney 753.16
 Medullary sponge kidney 753.17
 Other specified cystic kidney disease 753.19

Chronic nephritic syndrome with diffuse mesangial proliferative glomerulonephritis N03.3
 Chronic nephritic syndrome with other morphologic changes N03.8
 Glomerular disorders in diseases classified elsewhere N08
 Chronic nephritic syndrome with minor glomerularity N03.0
 Chronic nephritic syndrome with other morphologic changes N03.8

CHRONIC KIDNEY DISEASE (CKD)

Chronic kidney disease Stage I N18.1
 Chronic kidney disease Stage II (mild) N18.2
 Chronic kidney disease Stage III (moderate) N18.3
 Chronic kidney disease Stage IV (severe) N18.4
 Chronic kidney disease Stage V N18.5
 End stage renal disease N18.6
 Chronic kidney disease unspecified N18.9
 Unspecified kidney failure N19

COMPLICATIONS OF KIDNEY TRANSPLANT

Use additional code to identify other transplant complications, please refer to the ICD-10 book
 Unspecified complication of kidney transplant T86.10
 Kidney transplant rejection T86.11
 Kidney transplant failure T86.12
 Kidney transplant infection T86.13
 Use additional code to identify infection
 Other complication of kidney transplant T86.19

CYSTIC KIDNEY DISEASE

Congenital renal cyst unspecified Q61.00
 Cystic kidney disease unspecified Q61.9
 Congenital single renal cyst Q61.01
 Polycystic kidney unspecified Q61.3
 Polycystic kidney adult type Q61.2
 Other polycystic kidney infantile type Q61.19
 Renal dysplasia Q61.4
 Medullary cystic kidney Q61.5
 Medullary cystic kidney Q61.5
 Congenital multiple renal cysts Q61.02
 Other cystic kidney diseases Q61.8

COLOR KEY CODE

RED: Descriptive text in ICD10 is different from its ICD9 equivalent

BLUE: Coding directive per ICD-10-CM Classification

*** as the cause of disease classified elsewhere**

ICD-9 DESCRIPTION		ICD-10 DESCRIPTION		ICD-9 DESCRIPTION		ICD-10 DESCRIPTION	
DIABETES MELLITUS				DISORDERS OF FLUID, ELECTROLYTE AND ACID BALANCE		OTHER DISORDERS OF FLUID, ELECTROLYTE AND ACID-BASE BALANCE	
The following 5th-digit subclassification is for use with category 250:				Hyperosmolality and/or hypernatremia 276.0		Hyperosmolality and/or hypernatremia E87.0	
0 type II or unspecified type not stated as uncontrolled				Hyposmolality and/or hyponatremia 276.1		Hypo-osmolality and/or hyponatremia E87.1	
1 type I [juvenile type] not stated as uncontrolled				Acidosis 276.2		Acidosis E87.2	
2 type II or unspecified type uncontrolled				Alkalosis 276.3		Alkalosis E87.3	
3 type I [juvenile type] uncontrolled				Mixed acid-base balance disorder 276.4		Mixed disorder of acid-base balance E87.4	
Diabetes mellitus without mention of complication 250.00		Type 2 diabetes mellitus without complications E11.9		Volume depletion unspecified 276.50		Volume depletion unspecified E86.9	
Diabetes with ketoacidosis 250.10		Type 2 diabetes mellitus with other specified complication E11.69		Dehydration 276.51		Dehydration E86.0	
		Use additional code to identify complication		Hypovolemia 276.52		Hypovolemia E86.1	
Diabetes with hyperosmolality 250.20		Type 2 diabetes mellitus with hyperosmolality without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) E11.00		Transfusion associated circulatory overload 276.61		Transfusion associated circulatory overload E87.71	
		Type 2 diabetes mellitus with hyperosmolality with coma E11.01		Hyperpotassemia 276.7		Hyperkalemia E87.5	
Diabetes with renal manifestations 250.40		Type 2 diabetes mellitus with diabetic retinopathy E11.21		Hypopotassemia 276.8		Hypokalemia E87.6	
Use additional code to identify manifestation as chronic kidney disease (585.1-585.9) diabetic:		Type 2 diabetes mellitus with diabetic chronic kidney disease E11.22		Electrolyte and balance disorders not elsewhere classified 276.9		Others disorders of electrolyte and fluid balance not elsewhere classified E87.8	
nephropathy NOS (583.81)		Use additional code to identify stage of chronic kidney disease [N18.1-N18.6]		DISORDERS OF MINERAL METABOLISM		DISORDERS OF MINERAL METABOLISM	
nephrosis (581.81)		Type 2 diabetes mellitus with other diabetic kidney complication E11.29		Unspecified disorder of calcium metabolism 275.40		Unspecified disorder of calcium metabolism E83.50	
intercapillary glomerulosclerosis (581.81)				Hypocalcemia 275.41		Hypocalcemia E83.51	
Kimmelstiel-Wilson syndrome (581.81)				Hypercalcemia 275.42		Hypercalcemia E83.52	
				Other disorders of calcium metabolism 275.49		Other disorders of calcium metabolism E83.59	
DIFFUSE DISEASES OF CONNECTIVE TISSUE		SYSTEMIC CONNECTIVE TISSUE DISORDERS		DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL		HYPOFUNCTION AND OTHER DISORDERS OF THE PITUITARY GLAND	
Systemic lupus erythematosus 710.0		Drug-induced systemic lupus erythematosus M32.0		Diabetes insipidus 253.5		Diabetes insipidus E23.2	
Use additional code to identify manifestation as:		Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)		GONOCOCCAL INFECTIONS		GONOCOCCAL INFECTIONS	
endocarditis (424.91)		Systemic lupus erythematosus organ or system involvement unspecified M32.10		Gonococcal infection (acute) of upper genitourinary tract site unspecified 098.10		Other gonococcal genitourinary infections A54.29	
nephritis (583.81)		Endocarditis in systemic lupus erythematosus M32.11		Other 098.19		Gonococcal infection of kidney and ureter A54.21	
chronic (582.81)		Pericarditis in systemic lupus erythematosus M32.12		HYPERSENSITIVITY ANGIITIS		OTHER NECROTIZING VASCULOPATHIES	
nephrotic syndrome (581.81)		Lung involvement in systemic lupus erythematosus M32.13		Hypersensitivity angitis unspecified 446.20		Hypersensitivity angitis M31.0	
		Glomerular disease in systemic lupus erythematosus M32.14		Goodpasture's syndrome 446.21		Hypersensitivity angitis M31.0	
		Tubulo-interstitial nephropathy in systemic lupus erythematosus M32.15		Use additional code to identify renal disease (583.81)			
		Other organ or system involvement in systemic lupus erythematosus M32.19		HYPERTENSIVE CHRONIC KIDNEY DISEASE		HYPERTENSIVE CHRONIC KIDNEY DISEASE	
		Other forms of systemic lupus erythematosus M32.8		The following fifth-digit subclassification is for use with category 403:		Hypertensive chronic kidney disease with stage V chronic kidney disease or end stage renal disease I12.0	
		Systemic lupus erythematosus, unspecified M32.9		0 with chronic kidney disease stage I through stage IV or unspecified		Use additional code to identify the stage of chronic kidney disease (N18.5, N18.6)	
				Use additional code to identify the stage of chronic kidney disease (585.1-585.4, 585.9)		Hypertensive chronic kidney disease with stage I through stage 4 chronic kidney disease or unspecified chronic kidney disease I12.9	
				1 with chronic kidney disease stage V or end stage renal disease		Use additional code to identify the stage of chronic kidney disease (N18.1-N18.4, N18.9)	
				Use additional code to identify the stage of chronic kidney disease (585.5, 585.6)			
				Malignant			
				Benign			
				Unspecified			

COLOR KEY CODE

RED: Descriptive text in ICD10 is different from its ICD9 equivalent

BLUE: Coding directive per ICD-10-CM Classification

ICD-9

ICD-10

ICD-9

ICD-10

ICD-9 DESCRIPTION		ICD-10 DESCRIPTION	
HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE (Category 404.) The following fifth-digit subclassification is for use with category 404: 0 without heart failure and with chronic kidney disease stage I through stage IV or unspecified Use additional code to identify the stage of chronic kidney disease (585.1-585.4, 585.9) 1 with heart failure and with chronic kidney disease stage I through stage 4 or unspecified Use additional code to identify the stage of chronic kidney disease (585.1-585.4, 585.9) 2 without heart failure and with chronic kidney disease stage V or end stage renal disease Use additional code to identify the stage of chronic kidney stage (585.5, 585.6) 3 with heart failure and chronic kidney disease stage V or end stage renal disease Use additional code to identify the stage of chronic kidney stage (585.5, 585.6) Malignant Benign Unspecified		HYPERTENSIVE HEART AND CHRONIC KIDNEY DISEASE Hypertensive heart and chronic kidney disease with heart failure and stage I through stage 4 chronic kidney disease or unspecified chronic kidney disease I13.0 Use additional code to identify type of heart failure (I50.-) Use additional code to identify stage of chronic disease (N18.1-N18.4, N18.9) Hypertensive heart and chronic kidney disease without heart failure with stage 1 through stage 4 chronic kidney disease or unspecified chronic kidney disease I13.10 Use additional code to identify the stage of chronic kidney disease (N18.1-N18.4, N18.9) Hypertensive heart and chronic kidney disease without heart failure with stage 5 chronic kidney disease or end stage renal disease 13.11 Use additional code to identify the stage of chronic kidney disease (N18.5, N18.6) Hypertensive heart and chronic kidney disease with heart failure and stage 5 chronic kidney disease or end stage renal disease I13.2 Use additional code to identify type of heart failure (I50.-) Use additional code to identify the stage of chronic kidney disease (N18.5, N18.6)	
INFECTIONS OF KIDNEY Chronic pyelonephritis		RENAL TUBULO-INTERSTITIAL DISEASES Chronic tubulo-interstitial nephritis Use additional code (B95-B97) to identify infectious agent	
Without lesion of renal medullary necrosis 590.00		Nonobstructive reflux-associated chronic pyelonephritis N11.0	
With lesion of renal medullary necrosis 590.01		Chronic obstructive pyelonephritis N11.1	
		Other chronic tubulo-interstitial nephritis N11.8	
Acute pyelonephritis		Acute tubulo-interstitial nephritis N10	
Without lesion of renal medullary necrosis 590.10		Acute tubulo-interstitial nephritis N10	
With lesion of renal medullary necrosis 590.11		Use additional code (B95-B97) to identify infectious agent	
Renal and perinephric abscess 590.2		Renal and perinephric abscess N15.1	
Other pyelonephritis or pyonephrosis not specified as acute or chronic			
Pyelonephritis unspecified 590.80		Chronic tubulo-interstitial nephritis, unspecified N11.9	
		Tubulo-interstitial nephritis not specified as acute or chronic N12	
Pyelitis or pyelonephritis in diseases classified elsewhere 590.81		Renal tubulo-interstitial disorders in diseases classified elsewhere N16	
Code first underlying disease as tuberculosis (016.0)			

ICD-9 DESCRIPTION		ICD-10 DESCRIPTION	
		Code first underlying disease, such as: brucellosis (A23.0-A23.9) cryoglobulinemia (D89.1) glycogen storage disease (E74.0) leukemia (C91-C95) lymphoma (C81.0-C85.9, C96.0-C96.9) multiple myeloma (C90.0-) sepsis (A40.0-A41.9) Wilson's disease (E83.0)	
		Other specified disorders of kidney and ureter	
Pyeloureteritis cystica 590.3		Pyelitis cystica N28.84	
		Pyeloureteritis cystica N28.85	
		Ureteritis cystica N28.86	
NEPHRITIS AND NEPHROPATHY NOT SPECIFIED AS ACUTE OR CHRONIC		UNSPECIFIED NEPHRITIC SYNDROME	
With lesion of proliferative glomerulonephritis 583.0		With unspecified morphologic changes N05.9	
With lesion of membranous glomerulonephritis 583.1		With diffuse membranous glomerulonephritis N05.2	
With lesion of membranoproliferative glomerulonephritis 583.2		With diffuse mesangiocapillary glomerulonephritis N05.5	
With lesion of rapidly progressive glomerulonephritis 583.4		With unspecified morphologic changes N05.9	
With unspecified pathological lesion in kidney 583.9		With unspecified morphologic changes N05.9	
With other specified pathological lesion in kidney 583.89		With other morphologic changes N05.8	
		Acute kidney failure	
		Code also associated underlying condition	
With lesion of renal cortical necrosis 583.6		With acute cortical necrosis N17.1	
With lesion of renal medullary necrosis 583.7		With medullary necrosis N17.2	
Nephritis and nephropathy not specified as acute or chronic in diseases classified elsewhere 583.81		Glomerular disorders in diseases classified elsewhere N08	
		Code first underlying disease such as	
		amyloidosis (E85-)	
		congenital syphilis (A50.5)	
		cryoglobulinemia (D89.1)	
		disseminated intravascular coagulation (D65)	
		gout (M1A-, M10-)	
		microscopic polyangiitis (M31.7)	
		multiple myeloma (C90.0-)	
		sepsis (A40.0-A41.9)	
		sickle-cell disease (D57.0-D57.8)	

COLOR KEY CODE

RED: Descriptive text in ICD10 is different from its ICD9 equivalent

BLUE: Coding directive per ICD-10-CM Classification

ICD-9 ----- ICD-10		ICD-9 ----- ICD-10	
ICD-9 DESCRIPTION		ICD-10 DESCRIPTION	
NEPHROTIC SYNDROME		NEPHROTIC SYNDROME	
Nephrotic syndrome with lesion of proliferative glomerulonephritis	581.0	Nephrotic syndrome with diffuse endocapillary proliferative glomerulonephritis	N04.4
Nephrotic syndrome with lesion of membranoproliferative glomerulonephritis	581.2	Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritis	N04.3
Nephrotic syndrome with lesion of minimal change glomerulonephritis	581.3	Nephrotic syndrome with minor glomerular abnormality	N04.0
Nephrotic syndrome with other specified pathological lesion in kidney	581.89	Nephrotic syndrome with other morphologic changes	N04.8
Nephrotic syndrome with unspecified pathological lesion in kidney	581.9	Nephrotic syndrome with unspecified morphologic changes	N04.9
Nephrotic syndrome with lesion of membranous glomerulonephritis	581.1	Recurrent and persistent hematuria with diffuse membranous glomerulonephritis	N02.2
Nephrotic syndrome in diseases classified elsewhere	581.81	Glomerular disorders in diseases classified elsewhere	N08
Code first underlying disease as: amyloidosis (277.30-277.39) diabetes mellitus (249.4, 250.4) malaria (084.9) polyarteritis (446.0) systemic lupus erythematosus (710.0)			
OTHER DISORDERS OF ARTERIES AND ARTERIOLES		OTHER DISORDERS OF ARTERIES AND ARTERIOLES	
Hyperplasia of renal artery	447.3	Arterial fibromuscular dysplasia	I77.3
Necrosis of artery	447.5	Necrosis of artery	I77.5
Arteritis unspecified	447.6	Arteritis unspecified	I77.6
Other specified disorders of arteries and arterioles	447.8	Other specified disorders of arteries and arterioles	I77.89
		Arterial fibromuscular dysplasia	I77.3
OTHER DISEASES OF ENDOCARDIUM		ENDOCARDITIS AND VALVE DISORDERS	
Endocarditis valve unspecified		Endocarditis valve unspecified	I38
Endocarditis valve unspecified, unspecified cause	424.90	Endocarditis and heart valve disorders classified elsewhere	I39
Endocarditis in diseases classified elsewhere	424.91	Code first underlying disease such as: Q fever (A78)	
Code first underlying disease as: atypical verrucous endocarditis [Libman-Sacks] (710.0) disseminated lupus erythematosus (710.0) tuberculosis (017.9)		Endocarditis in systemic lupus erythematosus	M32.11
OTHER DISEASES OF KIDNEY AND URETER		OTHER DISEASES OF KIDNEY AND URETER	
Other specified disorders of kidney and ureter	593.89	Other specified disorders of kidney and ureter	N28.89
Renal sclerosis unspecified	587	Renal sclerosis unspecified	N26.9
Renal osteodystrophy	588.0	Renal osteodystrophy	N25.0
Vascular disorders of kidney	593.81	Ischemia and infarction of kidney	N28.0
Unspecified disorder of kidney and ureter	593.9	Other disorders of kidney and ureter in diseases classified elsewhere	N29
		OTHER AND UNSPECIFIED DISORDERS OF METABOLISM	
		Amyloidosis unspecified	277.30
		Familial Mediterranean fever	277.31
		Other amyloidosis	277.39
		METABOLIC DISORDERS	
		Amyloidosis unspecified	E85.9
		Non-neuropathic hereditary familial amyloidosis	E85.0
		Other amyloidosis	E85.8
		Neuropathic hereditary familial amyloidosis	E85.1
		Secondary systemic amyloidosis	E85.3
		Organ-limited amyloidosis	E85.4
		POLYARTERITIS NODOSA AND ALLIED CONDITIONS	
		Polyarteritis nodosa	446.0
		Acute febrile mucocutaneous lymph node syndrome	446.1
		POLYARTERITIS NODOSA AND ALLIED CONDITIONS	
		Polyarteritis nodosa	M30.0
		Juvenile polyarteritis	M30.2
		Other conditions related to polyarteritis nodosa	M30.8
		Mucocutaneous lymph node syndrome	M30.3
		SECONDARY HYPERTENSION	
		Malignant renovascular hypertension	405.01
		Benign renovascular hypertension	405.11
		Unspecified renovascular hypertension	405.91
		Other unspecified secondary hypertension	405.99
		SECONDARY HYPERTENSION	
		Code also underlying condition	
		Renovascular hypertension	I15.0
		Renovascular hypertension	I15.0
		Renovascular hypertension	I15.0
		Hypertension secondary to other renal disorders	I15.1
		Hypertension secondary to endocrine disorders	I15.2
		Other secondary hypertension	I15.8
		Secondary hypertension unspecified	I15.9
		TUBERCULOSIS OF GENITOURINARY SYSTEM	
		Kidney	016.00
		Bladder	016.10
		Ureter	016.20
		Other urinary organs	016.30
		Epididymis unspecified	016.40
		Other male genital organs, unspecified	016.50
		Tuberculous oophoritis & salpingitis, unspecified	016.60
		Tuberculosis of other female genital organs, unspecified	016.70
		Genitourinary tuberculosis unspecified	016.90
		TUBERCULOSIS OF GENITOURINARY SYSTEM	
		Kidney and ureter	A18.11
		Bladder	A18.12
		Kidney and ureter	A18.11
		Other urinary organs	A18.13
		Other male genital organs	A18.15
		Other male genital organs	A18.15
		Prostate	A18.14
		Tuberculous female pelvic inflammatory disease	A18.17
		Tuberculosis of other female genital organs	A18.18
		Tuberculosis of cervix	A18.16
		Tuberculous female pelvic inflammatory disease	A18.17
		Genitourinary tuberculosis unspecified	A18.10

COLOR KEY CODE

RED: Descriptive text in ICD10 is different from its ICD9 equivalent

BLUE: Coding directive per ICD-10-CM Classification

ICD-9

ICD-10

ICD-9

ICD-10

ICD-9 DESCRIPTION

ICD-10 DESCRIPTION

ICD-9 DESCRIPTION

ICD-10 DESCRIPTION

**ADJUNCTIVE CARE
DONORS**

Kidney

V59.4

DONORS OF ORGANS AND TISSUES

Kidney

Z52.4

**ENCOUNTER FOR DIALYSIS AND DIALYSIS
CATHETER CARE**

Encounter for extracorporeal dialysis

V56.0

Fitting and adjustment of extracorporeal dialysis
catheter

V56.1

Fitting and adjustment of peritoneal dialysis
catheter

V56.2

Encounter for adequacy testing for dialysis

V56.31

Encounter for adequacy testing for hemodialysis

V56.32

Encounter for adequacy testing for peritoneal
dialysis

V56.8

Encounter for other dialysis

**ENCOUNTER FOR CARE INVOLVING RENAL
DIALYSIS****Code also associated end stage renal disease (N18.6)**

Encounter for adequacy testing for hemodialysis

Z49.31

Encounter for fitting and adjustment of
extracorporeal dialysis catheter

Z49.01

Encounter for fitting and adjustment of
peritoneal dialysis catheter

Z49.02

Encounter for adequacy testing for hemodialysis

Z49.31

Encounter for adequacy testing for peritoneal

Z49.32

dialysis

Encounter for adequacy testing for peritoneal
dialysis

Z49.32

**FAMILY HISTORY OF CERTAIN OTHER SPECIFIC
CONDITIONS**

Diabetes mellitus

V18.0

**FAMILY HISTORY OF OTHER SPECIFIC
DISORDERS**

Diabetes mellitus

Z83.3

Conditions classifiable to E08-E13**Other endocrine, nutritional and metabolic diseases****Conditions classifiable to E00-E07, E15-E88**

Multiple endocrine neoplasia [MEN] syndrome

V18.11

Other endocrine and metabolic diseases

V18.19

Anemia

V18.2

Other endocrine, nutritional and metabolic
diseases

Z83.41

Diseases of the blood and blood-forming organs
and certain disorders involving the immune
mechanism

Z83.2

Diseases of the blood and blood-forming
organs and certain disorders involving the
immune mechanism

Z83.2

Conditions classifiable to D50-D89**Family history of congenital malformations,
deformations and chromosomal abnormalities****Conditions classifiable to Q00-Q99**

Kidney diseases

Polycystic kidney

V18.61

Other kidney diseases

V18.69

Other genitourinary diseases

V18.7

ORGAN OR TISSUE REPLACED BY TRANSPLANT

Kidney

V42.0

Unspecified organ or tissue

V42.9

Sideroblastic anemia

285.0

Polycystic kidney

Z82.71

Family history of other conditions

Disorders of kidney and ureter

Z84.1

Conditions classifiable to N00-N29

Other diseases of the urinary system

Z84.2

Conditions classifiable to N30-N99**TRANSPLANTED ORGAN AND TISSUE STATUS**

Kidney transplant status

Z94.0

Transplanted organ & tissue status unspecified

Z94.9

Other anemias

Hereditary sideroblastic anemia

D64.0

Secondary sideroblastic anemia due to disease

D64.1

Code first underlying diseaseSecondary sideroblastic anemia due to drugs
and toxins

D64.2

**Code first poisoning due to drug or toxin, if applicable
(T36-T65 with 5th or 6th character 1-4 or 6)**

Other sideroblastic anemias

D64.3

Anemia due to antineoplastic chemotherapy

D64.81

Other specified anemias

D64.89

Congenital dyserythropoietic anemia

D64.4

Anemia unspecified

D64.9

**Anemia in chronic diseases classified
elsewhere**

Anemia in chronic kidney disease

D63.1

**Code first underlying chronic kidney disease
(CKD) (N18-)**

Anemia in neoplastic disease

D63.0

Code first neoplasm (C00-D49)Anemia in other chronic diseases classified
elsewhere

D63.8

Code first underlying disease such as:

diphyllobothriasis (B70.0)

hookworm disease (B76.0-B76.9)

hypothyroidism (E00.0-E03.9)

malaria (B50.0-B54)

symptomatic late syphilis (A52.79)

tuberculosis (A18.89)

COLOR KEY CODE**RED:** Descriptive text in ICD10 is different from its
ICD9 equivalent**BLUE:** Coding directive per ICD-10-CM ClassificationFor current information on ICD-10 codes and implementation,
visit the ICD-10 page on the CMS site:<http://www.cms.gov/Medicare/Coding/ICD10/index.html>